PVC profile systems

				Door locks G.U-SECURY			Strike plates		Electric strike			
							prepared for electric strike	with interchangeable latch piece	G.U-BKS No. 6	Drawing	**Cover** 9-45362-00-0-*	**Cover** 9-45837-00-0-*
												
Profile system	**Leaf profile**	**Frame profile**	**Installation drawing**	**G.U-SECURY**	**Backset / Centres**	**Forend**						
Actual 600				X	55/92	16	6-31660-3T-*-*	6-31661-3T-*-*	6-35***-**	0-45704	●	
Alphacan Class	MB 02 G	MT 01 B		X	35/92	16	6-31660-3R-*-*	6-31661-3R-*-*	6-35***-**	0-45705	●	
Alphacan Esthea	53.08	53.21	0-43688	X	45/92	16	6-31660-1K-*-*	6-31661-1K-*-*	6-35***-**	0-45705	●	
Alphacan Serie 70	63724	62701		X	45/92	16	6-31660-84-*-*	6-31661-84-*-*	6-35***-**	0-45705	●	
Alphacan Lucobay	21-07	21-11	0-44114	X	65/92	16	6-28890-42-*-*	6-28898-42-*-*	6-35***-**	0-45705	●	
Aluplast Ideal 2000	120 033	120 002	0-43966	X	45/92	16	6-31660-07-*-*	6-31661-07-*-*	6-35***-**	0-45688	●	
Aluplast Ideal 4000	140 033	140 003	0-44093	X	45/92	16	6-31660-1F-*-*	6-31661-1F-*-*	6-35***-**	0-45688	●	
Aluplast Ideal 5000	150 032	150 003		X	35/92	16	6-31660-1F-*-*	6-31661-1F-*-*	6-35***-**	0-45688	●	
Aluplast Ideal 6000	160 032	160 003		X	35/92	16	6-31660-1F-*-*	6-31661-1F-*-*	6-35***-**	0-45688	●	
Aluplast Ideal 8000	180 032	180 003		X	40/92	16	6-31660-1F-*-*	6-31661-1F-*-*	6-35***-**	0-45688	●	
Anglian Windows	8964	8960		X	35/92	16	6-28890-09-*-*	6-28898-09-*-*	6-35***-**		●	
Brügmann AD	HP 1730	HP 1240	0-44090	X	35/92	16	6-31660-2L-*-*	6-31661-2L-*-*	6-35***-**	0-45689	●	
Brügmann AD	HP 1550	HP 1240	0-44103	X	45/92	20	6-31660-2Y-*-*	6-31661-2Y-*-*	6-35***-**	0-45689	●	
Brügmann MD	HP 2530	HP 2030		X	45/92	16	6-31660-2L-*-*	6-31661-2L-*-*	6-35***-**	0-45689	●	
Deceuninck Zendow	3049	3001	(0-43968)	X	40/92	16	6-31660-34-*-*	6-31661-34-*-*	6-35***-**	0-45690	●	
Deceuninck Zendow	5049	5001		X	40/92	16	6-31660-34-*-*	6-31661-34-*-*	6-35***-**	0-45690	●	
Epwin	2230	2207	0-44105	X	35/92	16	6-31660-17-*-*	6-31661-17-*-*	6-35***-**		●	
Funke Phönix	3401	3102		X	45/92	16	6-31660-34-*-*	6-31661-34-*-*	6-35***-**		●	
Funke Helios	5401	5102		X	45/92	16	6-31660-34-*-*	6-31661-34-*-*	6-35***-**		●	
Gealan S 3000	3076	3008	0-43934	X	55/92	16	6-31660-21-*-*	6-31661-21-*-*	6-35***-**	0-45691	●	
Gealan S 3000	3076	3008	0-43934	X	55/92	16	6-31660-4B-*-*	6-31661-4B-*-*	6-35***-**	0-45691	●	
Gealan S 7000 IQ	7076	7008	0-45508	X	55/92	16	6-31660-4P-*-*	6-31661-4P-*-*	6-35***-**	0-45691	●	

= Electric Strike No. 6 variant ‚F' with latch slide

* Optional cover: 6 = black / 7 = white

PVC profile systems

				Door locks G.U-SECURY			Strike plates		Electric strike			
							prepared for electric strike	with interchangeable latch piece	G.U-BKS No. 6	Drawing	**Cover** 9-45362-00-0-*	**Cover** 9-45837-00-0-*
												
Profile system	**Leaf profile**	**Frame profile**	**Installation drawing**	**G.U-SECURY**	**Backset / Centres**	**Forend**						
Gealan S 8000 IQ	8076	8011	0-45508	X	55/92	16	6-31660-4P-*-*	6-31661-4P-*-*	6-35***-**	0-45691	●	
INOUTIC AD Fa. Optero	H 40 d	L 60 d	0-43962	X	45/92	16	6-31660-3E-*-*	6-31661-3E-*-*	6-35***-**	0-45692	●	
INOUTIC AD	H 40 d	L 60 d	0-43962	X	45/92	16	6-28890-79-*-*	6-28898-79-*-*	6-35***-**	0-45692	●	
INOUTIC Elite	H 7140 d	L 7160 d		X	45/92	16	6-28890-79-*-*	6-28898-79-*-*	6-35***-**	0-45692	●	
INOUTIC Prestige	H 476 d	L 676 d	0-44072	X	35/92	16	6-28890-79-*-*	6-28898-79-*-*	6-35***-**	0-45692	●	
LB-Profile PAD inward opening	AZ 5-2	AL 2-3	0-44091	X	55/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PAD inward opening	AZ 3-2	AL 1-3		X	30/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PAD outward opening	AT 24-2	AL 2-3		X	55/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PAD outward opening	AT 21-2	AL 1-3		X	30/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PAD Contour outward opening	AT 28-4	AL 7-5		X	45/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PAD Contour outward opening	AZ 8-4	AL 7-5		X	45/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PCD inward opening	CZ 7-5	CL 3-5		X	30/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PCD inward opening	CZ 8-4	CL 2-5		X	45/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PCD inward opening	CZ 8-4	CL 4-25		X	45/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PCD inward opening	CZ 8-4	CL 3-5		X	45/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PCD outward opening	CT 28-4	CL 2-5		X	45/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PCD outward opening	CT 28-4	CL 4-25		X	45/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
LB-Profile PCD outward opening	CT 28-4	CL 3-5		X	45/92	16	6-31660-1H-*-*	6-31661-1H-*-*	6-35***-**	0-45707	●	
Plastmo Index	6035080	6035025	0-44099	X	35/92	16	6-28890-48-*-*	6-28898-48-*-*	6-35***-**		●	
Plustec Softline	FR 85 V	BR 76	0-43618	X	35/92	16	6-31660-49-*-*	6-31661-49-*-*	6-35***-**	0-45715	●	
Plustec Softline	FR 99 V	BR 76	0-43681	X	45/92	20	6-31660-49-*-*	6-31661-49-*-*	6-35***-**	0-45715	●	
Primo 4000	3382	3282	0-43970	X	40/92	16	6-31660-2E-*-*	6-31661-2E-*-*	6-35***-**	0-45716	●	

= Electric Strike No. 6 variant ‚F' with latch slide

* Optional cover: 6 = black / 7 = white

PVC profile systems

				Door locks G.U-SECURY			Strike plates		Electric strike			
							prepared for electric strike	with interchangeable latch piece	G.U-BKS No. 6	Drawing	**Cover** 9-45362-00-0-*	**Cover** 9-45837-00-0-*
												
Profile system	**Leaf profile**	**Frame profile**	**Installation drawing**	**G.U-SECURY**	**Backset / Centres**	**Forend**						
Profialis (Wymar 3000)	3203	3000		X	40/92	16	6-31660-3Z-*-*	6-31661-3Z-*-*	6-35***-**		●	
Profialis (Wymar 3000)	3203	3000		X	40/92	16	6-28890-4L-*-*	6-28898-4L-*-*	6-35***-**		●	
Profine EuroFutur Classic	2416	2402		X	45/92	16	6-31660-31-*-*	6-31661-31-*-*	6-35***-**	0-45698	●	
Profine EuroFutur Classic	2416	2402		X	45/92	24x6	6-28890-38-*-*	6-28898-38-*-*	6-35***-**	0-45698		●
Profine EuroFutur Elegance	116_3	102		X	45/92	16	6-31660-31-*-*	6-31661-31-*-*	6-35***-**	0-45698	●	
Profine EuroFutur Elegance	116_3	102		X	45/92	24x6	6-28890-38-*-*	6-28898-38-*-*	6-35***-**	0-45698		●
Profine KBE 58 Schöpper	714	306	0-44111	X	45/92	16	6-28890-2K-*-*	6-28898-2K-*-*	6-35***-**	0-45697	●	
Profine KBE 58	714	306	0-43950	X	45/92	16	6-28890-28-*-*	6-28898-28-*-*	6-35***-**		●	
Profine KBE 58	714	306		X	50/92	24x8	6-29144-00-*-*	6-29145-00-*-*	6-35***-**		●	
Profine KBE 70	378	370		X	50/92	16	6-31660-34-*-*	6-31661-34-*-*	6-35***-**		●	
Profine Trocal 88+	822 100	810 200		X	40/92	16	6-31941-00-*-*	6-31942-00-*-*	6-35***-**	0-45449	●	
Profine Trocal 88+	822 200	810 200		X	40/92	16	6-31941-00-*-*	6-31942-00-*-*	6-35***-**		●	
Profine Trocal 88+	822 400	810 200		X	55/92	16	6-31941-00-*-*	6-31942-00-*-*	6-35***-**		●	
Profine Trocal 88+	822 500	810 200		X	55/92	16	6-31941-00-*-*	6-31942-00-*-*	6-35***-**		●	
Profine Trocal Innonova 2000	522 400	510 200		X	55/92	20	6-31941-00-*-*	6-31942-00-*-*	6-35***-**		●	
Profine Trocal Innonova 2000	522 100	510 200		X	35/92	16	6-31941-00-*-*	6-31942-00-*-*	6-35***-**		●	
Profine Trocal Innonova 2000	522 300	510 200		X	35/92	16	6-31941-00-*-*	6-31942-00-*-*	6-35***-**		●	
Profine Trocal Innonova 2000	622 400	510 200		X	55/92	20	6-31941-00-*-*	6-31942-00-*-*	6-35***-**		●	
Profine Trocal Innonova 2000	622 500	510 200		X	55/92	20	6-31941-00-*-*	6-31942-00-*-*	6-35***-**		●	
Profine Trocal Innonova 2000	622 600	510 200		X	55/92	20	6-31941-00-*-*	6-31942-00-*-*	6-35***-**		●	
Profine Trocal Innonova 70 A5	622 400	610 200		X	55/92	20	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 A5	622 100	610 200		X	35/92	16	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	

= Electric Strike No. 6 variant ‚F' with latch slide

* Optional cover: 6 = black / 7 = white

PVC profile systems

				Door locks G.U-SECURY			Strike plates		Electric strike			
							prepared for electric strike	with interchangeable latch piece	G.U-BKS No. 6	Drawing	**Cover** 9-45362-00-0-*	**Cover** 9-45837-00-0-*
												
Profile system	**Leaf profile**	**Frame profile**	**Installation drawing**	**G.U-SECURY**	**Backset / Centres**	**Forend**						
Profine Trocal Innonova 70 A5	622 200	610 200		X	35/92	16	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 A5	622 300	610 200		X	35/92	16	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 A5	622 500	610 200		X	55/92	20	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 A5	622 600	610 200		X	55/92	20	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 M5	522 400	510 400		X	55/92	20	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 M5	522 100	510 400		X	35/92	16	6-31660-83-*-*	6-31661-83-*-*	6-35***-**	0-45449	●	
Profine Trocal Innonova 70 M5	522 200	510 400		X	35/92	16	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 M5	522 300	510 400		X	35/92	16	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 M5	622 400	510 400		X	55/92	20	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 M5	622 500	510 400		X	55/92	20	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Profine Trocal Innonova 70 M5	622 600	510 400		X	55/92	20	6-31660-83-*-*	6-31661-83-*-*	6-35***-**		●	
Pural	P 006	P 002		X	35/92	16	6-28890-55-*-*	6-28898-55-*-*	6-35***-**	0-45714	●	
Pural	P 022	P 002		X	45/92	20	6-31660-56-*-*	6-31661-56-*-*	6-35***-**	0-45714	●	
Ramplast Ecotherm	302-02	301-01		X	35/92	16	6-28890-4A-*-*	6-28898-4A-*-*	6-35***-**		●	
Rehau Geneo	532 135	532 305		X	35/92	16	6-31660-4W-*-*	6-31661-4W-*-*	6-35***-**		●	
Rehau Brillant Design	550 160	550 680		X	45/92	16	6-31660-62-*-*	6-31661-62-*-*	6-35***-**		●	
Rehau S 730	541 130	541 120	0-43971	X	45/92	16	6-31660-62-*-*	6-31661-62-*-*	6-35***-**	0-45693	●	
Salamander Design 3D	211 240	110 220	0-44092	X	45/92	20	6-31660-2R-*-*	6-31661-2R-*-*	6-35***-**	0-45694	●	
Schüco Corona CT 70	910 800	859 600		X	45/92	24		6-30995-00-*-*	6-35***-**	0-45695	●	
Veka Softline 70	105 232	101 214	0-44732	X	45/92	24x6	6-28890-88-*-*	6-28898-88-*-*	6-35***-**	0-45696		●
Veka Softline AD 13	103 198	101 085		X	35/92	16	6-31660-2D-*-*	6-31661-2D-*-*	6-35***-**	0-45696	●	

= Electric Strike No. 6 variant ‚F' with latch slide

* Optional cover: 6 = black / 7 = white