




A1


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Pattern A3 laterally reversed														
Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1786 FD 88, FA 28, ZB 63														
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet		
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	1/37		



A5

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER												
Description:												
Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1786 FD 88, FA 28, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	2/37




B1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	3/37




C1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	4/37



C2


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern A3 and G3
Only with 5 mm roller track

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	5/37




D1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	6/37



Anti-jimmy device


Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	7/37

D3




HS ePOWER

Description:													
Profile sections Lift&Slide elements, timber													
GU-934 / GU-937, P 1786													
FD 88, FA 28, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	8/37	

D5

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Roller track 5 mm

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

	Date 08.11.2019	Change No. G35888	Sig Sch	Ver. De	Replacement for --	Revision: 1	Iteration: 2	Level: Released	Scale 1:1	Drawing No. 0-48530-FJ-0-EN	Size A3	Sheet 9/37
--	--------------------	----------------------	------------	------------	-----------------------	----------------	-----------------	--------------------	--------------	--------------------------------	------------	---------------

E1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Roller track 10 mm

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

GU

Date

08.11.2019

Change No.

G35888

Sig

Sch

Ver.

De

Replacement for

--

Revision:

1

Iteration:

2

Level:

Released

Scale

1:1

Drawing No.

0-48530-FJ-0-EN


Size

A3

Sheet

10/37

E1



Roller track 15 mm


Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	11/37

E1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Roller track 5 mm

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1786

FD 88, FA 28, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	12/37

E2



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Roller track 10 mm

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1786

FD 88, FA 28, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	13/37

E2



Roller track 15 mm


Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	14/37


E2



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER												
Description:												
Profile sections Lift&Slide elements, timber												
GU-934 / GU-937, P 1786												
FD 88, FA 28, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	15/37


E3



F1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:													
Profile sections Lift&Slide elements, timber													
GU-934 / GU-937, P 1786													
FD 88, FA 28, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	16/37	




FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern G1 and H

Description:
Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

	Date 08.11.2019	Change No. G35888	Sig Sch	Ver. De	Replacement for --	Revision: 1	Iteration: 2	Level: Released	Scale 1:1	Drawing No. 0-48530-FJ-0-EN	Size A3	Sheet 17/37
--	--------------------	----------------------	------------	------------	-----------------------	----------------	-----------------	--------------------	--------------	--------------------------------	------------	----------------


F2



G1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1786 FD 88, FA 28, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	18/37	




FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER

Description:									
Profile sections Lift&Slide elements, timber									
GU-934 / GU-937, P 1786									
FD 88, FA 28, ZB 63									
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1
					Drawing No.		Size	Sheet	
					0-48530-FJ-0-EN		A3	19/37	

G2



H1


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Description:

Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1786

FD 88, FA 28, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	20/37




only for pattern G2
Separation recommended to prevent warping.

I1


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1786 FD 88, FA 28, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	21/37	



I2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER													
Description:													
Profile sections Lift&Slide elements, timber													
GU-934 / GU-937, P 1786													
FD 88, FA 28, ZB 63													
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	22/37	




J1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:


Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63


GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	23/37



J2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern G2																				02			
Description:																							
Profile sections Lift&Slide elements, timber																							
GU-934 / GU-937, P 1786																							
FD 88, FA 28, ZB 63																							
	Date	Change No.	Sig	Ver.	Replacement for			Revision:	Iteration:	Level:		Scale	Drawing No.				Size	Sheet					
	08.11.2019	G35888	Sch	De	--			1	2	Released		1:1	0-48530-FJ-0-EN				A3	24/37					



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

L&S night vent module

J4


Description:

Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1786

FD 88, FA 28, ZB 63


GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	25/37



K1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1786 FD 88, FA 28, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	26/37	



Chamfers not dimensioned 1 x 45°



L1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	27/37




Chamfers not dimensioned 1 x 45°

M1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1786 FD 88, FA 28, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	28/37	



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Pattern C and F
Roller track 5 mm

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	29/37

N1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width



Pattern C and F
Roller track 10 mm

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	30/37

N1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Pattern Cand F
Roller track 15 mm

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	31/37

N1





Chamfers not dimensioned 1 x 45°

O1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1786 FD 88, FA 28, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	32/37	



Chamfers not dimensioned 1 x 45°


P2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1786
FD 88, FA 28, ZB 63


GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	33/37




R1

R2


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width



Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1786 FD 88, FA 28, ZB 63													
	Date 08.11.2019	Change No. G35888	Sig Sch	Ver. De	Replacement for --	Revision: 1	Iteration: 2	Level: Released	Scale 1:1	Drawing No. 0-48530-FJ-0-EN	Size A3	Sheet 34/37	



S1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern D													
Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1786 FD 88, FA 28, ZB 63													
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	35/37	



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


HS ePOWER

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1786


FD 88, FA 28, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1	0-48530-FJ-0-EN	A3	36/37

T1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

L&S night vent module									
Description:									
Profile sections Lift&Slide elements, timber									
GU-934 / GU-937, P 1786									
FD 88, FA 28, ZB 63									
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale
	08.11.2019	G35888	Sch	De	--	1	2	Released	1:1
Drawing No.									Size
0-48530-FJ-0-EN									A3
Sheet									37/37

U1