




A2

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|---|-------|
| Pattern A3 laterally reversed | | | | | | | | | | |  | |
| Description: | | | | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | | | | |
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 1/34 |



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


HS ePOWER

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 2/34 |


A5



B1

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | | |
|--|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|--|
| Description: | | | | | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | | | | | |
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet | |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 3/34 | |




C1

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|----|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 4/34 |




Pattern A3 and G3
Only with 5 mm roller track

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 88, FA 28, ZB 63


| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 5/34 |


C2



D2

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
| Description: | | | | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | | | | |
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 6/34 |




D4

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


Anti-jemmy device

Description:
Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63


| | | | | | | | | | | | | |
|--|--------------------|----------------------|------------|------------|-----------------------|----------------|-----------------|--------------------|--------------|--------------------------------|------------|---------------|
| | Date 08.11.2019 | Change No. G35888 | Sig Sch | Ver. De | Replacement for -- | Revision: 1 | Iteration: 2 | Level: Released | Scale 1:1 | Drawing No. 0-48531-FJ-0-EN | Size A3 | Sheet 7/34 |
|--|--------------------|----------------------|------------|------------|-----------------------|----------------|-----------------|--------------------|--------------|--------------------------------|------------|---------------|



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|--|
| HS ePOWER | | | | | | | | | | | | | |
| Description: | | | | | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | | | | | |
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet | |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 8/34 | |

D5



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


Roller track 5 mm

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 9/34 |

E1




| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

Roller track 10 mm

| | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|-----------------|--|-----------------|--|------------|-------|
| Description: | | | | | | | | | | Scale | | Drawing No. | | Size | Sheet |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | 1:1 | | 0-48531-FJ-0-EN | | A3 | 10/34 |
| GU | | | | | | | | | | Date | | Change No. | | Sig | Ver. |
| | | | | | | | | | | 08.11.2019 | | G35888 | | Sch | De |
| | | | | | | | | | | Replacement for | | Revision: | | Iteration: | |
| | | | | | | | | | | -- | | 1 | | 2 | |
| | | | | | | | | | | | | Released | | | |

E1



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


Roller track 5 mm

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|-----------|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 11/34 |

E2



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


Roller track 10 mm

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 12/34 |

E2



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


HS ePOWER

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|--|--------------------|----------------------|------------|------------|-----------------------|----------------|-----------------|--------------------|--------------|--------------------------------|------------|----------------|
| | Date 08.11.2019 | Change No. G35888 | Sig Sch | Ver. De | Replacement for -- | Revision: 1 | Iteration: 2 | Level: Released | Scale 1:1 | Drawing No. 0-48531-FJ-0-EN | Size A3 | Sheet 13/34 |
|--|--------------------|----------------------|------------|------------|-----------------------|----------------|-----------------|--------------------|--------------|--------------------------------|------------|----------------|


E3



F1

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | | |
|--|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|--|
| Description: | | | | | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | | | | | |
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet | |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 14/34 | |




| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

Pattern G1 and H

Description:
Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|--|--------------------|----------------------|------------|------------|-----------------------|----------------|-----------------|--------------------|--------------|--------------------------------|------------|----------------|
| | Date 08.11.2019 | Change No. G35888 | Sig Sch | Ver. De | Replacement for -- | Revision: 1 | Iteration: 2 | Level: Released | Scale 1:1 | Drawing No. 0-48531-FJ-0-EN | Size A3 | Sheet 15/34 |
|--|--------------------|----------------------|------------|------------|-----------------------|----------------|-----------------|--------------------|--------------|--------------------------------|------------|----------------|


F2



G1

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | | |
|--|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|--|
| Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1850 FD 88, FA 28, ZB 63 | | | | | | | | | | | | | |
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet | |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 16/34 | |



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


HS ePOWER

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 17/34 |

G2



H1


| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


Description:

Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 18/34 |




Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | |
|----|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 19/34 |

I1



I2

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


HS ePOWER


Description:

Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 20/34 |




J1

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

Description:


Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63


| | | | | | | | | | | | | |
|----|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 21/34 |



J2

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|
| Pattern G2 | | | | | | | | | | | | |
| Description: | | | | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | | | | |
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 22/34 |




| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

L&S night vent module

J4


Description:
Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63


| | | | | | | | | | | | | |
|----|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 23/34 |



K1

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
| Description: | | | | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | | | | |
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 24/34 |



Chamfers not dimensioned 1 x 45°



L2

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|----|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 25/34 |




Chamfers not dimensioned 1 x 45°

M2

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | | |
|--|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|--|
| Description: | | | | | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | | | | | |
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet | |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 26/34 | |





| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

Pattern C and F
Roller track 5 mm

| | | | | | | | | | |
|--|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|
| Description: | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | |
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 |
| Drawing No. | | | | | | | | | Size |
| 0-48531-FJ-0-EN | | | | | | | | | A3 |
| Sheet | | | | | | | | | 27/34 |

N2



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


Pattern C and F
Roller track 10 mm

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|--|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
| | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 28/34 |

N2





Chamfers not dimensioned 1 x 45°

O1

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | | |
|--|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|--|
| Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1850 FD 88, FA 28, ZB 63 | | | | | | | | | | | | | |
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet | |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 29/34 | |



Chamfers not dimensioned 1 x 45°


P2

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|----|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 30/34 |




R1

R2

| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | | |
|--|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|--|
| Description: | | | | | | | | | | | | | |
| Profile sections Lift&Slide elements, timber | | | | | | | | | | | | | |
| GU-934 / GU-937, P 1850 | | | | | | | | | | | | | |
| FD 88, FA 28, ZB 63 | | | | | | | | | | | | | |
| GU | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet | |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 31/34 | |



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

Pattern D

GU

Date

08.11.2019

Change No.

G35888

Sig

Sch

Ver.

De

Replacement for

--

Revision:

1

Iteration:

2

Level:

Released

Scale

1:1

Drawing No.

0-48531-FJ-0-EN

Size

A3



Sheet

32/34

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

S2




| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |


HS ePOWER

Description:


Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 88, FA 28, ZB 63

| | | | | | | | | | | | | |
|---|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|------------------------|------|-------|
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 33/34 |

T1



| | |
|----|---------------------|
| FD | Door leaf thickness |
| FA | Sash distance |
| ZB | Frame profile width |

| | | | | | | | | | | | | |
|--|------------|------------|-----|------|-----------------|-----------|------------|----------|-------|-----------------|------|-------|
| L&S night vent module | | | | | | | | | | | | |
| Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1850 FD 88, FA 28, ZB 63 | | | | | | | | | | | | |
|  | Date | Change No. | Sig | Ver. | Replacement for | Revision: | Iteration: | Level: | Scale | Drawing No. | Size | Sheet |
| | 08.11.2019 | G35888 | Sch | De | -- | 1 | 2 | Released | 1:1 | 0-48531-FJ-0-EN | A3 | 34/34 |

U1