




A2



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


<div><div></div><div></div></div>													
Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1850 FD 110, FA 22, ZB 63													
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.		Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN		A3	1/34



A5

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER													
Description:													
Profile sections Lift&Slide elements, timber													
GU-934 / GU-937, P 1850													
FD 110, FA 22, ZB 63													
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	2/34	




B1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	3/34




C1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	4/34




C2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern A3 and G3
Only with 5 mm roller track

Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1850 FD 110, FA 22, ZB 63										Scale 1:1	Drawing No. 0-48967-FJ-0-EN	Size A3	Sheet 5/34
GU	Date 14.11.2019	Change No. G35888	Sig Sch	Ver. De	Replacement for --	Revision: 1	Iteration: 1	Level: Released					





D2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
 GU-934 / GU-937, P 1850
 FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	6/34



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Anti-jemmy device

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	7/34

D4




FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER

Description:										Scale				Drawing No.		Size		Sheet	
Profile sections Lift&Slide elements, timber										1:1				0-48967-FJ-0-EN		A3		8/34	
GU										Date				Change No.		Sig		Ver.	
14.11.2019										G35888				Sch		De		--	
Revision:										1				Iteration:		1		Level:	
Released																			

D5




FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Roller track 5 mm

Description:									
Profile sections Lift&Slide elements, timber									
GU-934 / GU-937, P 1850									
FD 110, FA 22, ZB 63									
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1
Drawing No.									Size
0-48967-FJ-0-EN									A3
Sheet									9/34

E1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Roller track 10 mm

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	10/34

E1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Roller track 5 mm


Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63



Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	11/34

E2



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Roller track 10 mm


Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63



Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	12/34

E2



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


HS ePOWER

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	13/34

E3




F1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	14/34



F2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Pattern G1 and H


Description:

Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	15/34




G1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:


Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63


GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	16/34



G2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER												
Description:												
Profile sections Lift&Slide elements, timber												
GU-934 / GU-937, P 1850												
FD 110, FA 22, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	17/34




H1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	18/34




Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	19/34



12

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER												12	
Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1850 FD 110, FA 22, ZB 63													
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.		Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN		A3	20/34




J1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:


Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63


GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	21/34



J2


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Pattern G2												
Description:												
Profile sections Lift&Slide elements, timber												
GU-934 / GU-937, P 1850												
FD 110, FA 22, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	22/34



J4


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


L&S night vent module											04	
Description:												
Profile sections Lift&Slide elements, timber												
GU-934 / GU-937, P 1850												
FD 110, FA 22, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	23/34



K1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:												
Profile sections Lift&Slide elements, timber												
GU-934 / GU-937, P 1850												
FD 110, FA 22, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	24/34



Chamfers not dimensioned 1 x 45°


L2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63


GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	25/34



M2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:													
Profile sections Lift&Slide elements, timber													
GU-934 / GU-937, P 1850													
FD 110, FA 22, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	26/34	



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Pattern C and F
Roller track 5 mm

Description:



Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	27/34

N2



N2


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern C and F
Roller track 10 mm

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	28/34




Chamfers not dimensioned 1 x 45°

O1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937, P 1850 FD 110, FA 22, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	29/34	



Chamfers not dimensioned 1 x 45°


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	30/34

P2



R1

R2


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Description:

Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	31/34



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern D

GU

Date

14.11.2019

Change No.

G35888

Sig

Sch

Ver.

De

Replacement for

--

Revision:

1

Iteration:

1

Level:

Released

Scale

1:1

Drawing No.

0-48967-FJ-0-EN

Size

A3



Sheet

32/34

Description:

Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

S2



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


HS ePOWER

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937, P 1850

FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	14.11.2019	G35888	Sch	De	--	1	1	Released	1:1	0-48967-FJ-0-EN	A3	33/34

T1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

L&S night vent module

Description:
Profile sections Lift&Slide elements, timber
GU-934 / GU-937, P 1850
FD 110, FA 22, ZB 63

	Date 14.11.2019	Change No. G35888	Sig Sch	Ver. De	Replacement for --	Revision: 1	Iteration: 1	Level: Released	Scale 1:1	Drawing No. 0-48967-FJ-0-EN	Size A3	Sheet 34/34
--	--------------------	----------------------	------------	------------	-----------------------	----------------	-----------------	--------------------	--------------	--------------------------------	------------	----------------

U1