



# A1


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Pattern A3 laterally reversed												
Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937 , P 1786 FD 110, FA 22, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	<b>0-48537-FJ-0-EN</b>	A3	1/37



**A5**

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER												
Description:												
Profile sections Lift&Slide elements, timber												
GU-934 / GU-937 , P 1786												
FD 110, FA 22, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	2/37




B1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63


GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	3/37



C1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Description:													
Profile sections Lift&Slide elements, timber													
GU-934 / GU-937 , P 1786													
FD 110, FA 22, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	4/37	



Pattern A3 and G3  
Only with 5 mm roller track

Description:									
Profile sections Lift&Slide elements, timber									
GU-934 / GU-937 , P 1786									
FD 110, FA 22, ZB 63									
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1
Drawing No.									Size
0-48537-FJ-0-EN									A3
Sheet									5/37


C2



D1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:													
Profile sections Lift&Slide elements, timber													
GU-934 / GU-937 , P 1786													
FD 110, FA 22, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	6/37	



Anti-jimmy device


Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	7/37

D3




D5

HS ePOWER

Description:


Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	<b>0-48537-FJ-0-EN</b>	A3	8/37

# D5





FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Roller track 5 mm

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937 , P 1786

FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	<b>0-48537-FJ-0-EN</b>	A3	9/37

E1




FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Roller track 10 mm

Description:									
Profile sections Lift&Slide elements, timber									
GU-934 / GU-937 , P 1786									
FD 110, FA 22, ZB 63									
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1
Drawing No.									Size
0-48537-FJ-0-EN									A3
Sheet									10/37

E1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Roller track 15 mm

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	11/37

E1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Roller track 5 mm


Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63



Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	<b>0-48537-EJ-0-EN</b>	A3	12/37

# E2



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Roller track 10 mm


Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63



Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	<b>0-48537-FJ-0-EN</b>	A3	13/37

# E2



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Roller track 15 mm

Description:


Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

<b>GU</b>	Date 26.02.2020	Change No. G35888	Sig Sch	Ver. De	Replacement for --	Revision: 1	Iteration: 2	Level: Released	Scale 1:1	Drawing No. <b>0-48537-FJ-0-EN</b>	Size A3	Sheet 14/37
-----------	--------------------	----------------------	------------	------------	-----------------------	----------------	-----------------	--------------------	--------------	---------------------------------------	------------	----------------


E2



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER												
Description:												
Profile sections Lift&Slide elements, timber												
GU-934 / GU-937 , P 1786												
FD 110, FA 22, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	15/37

E3



F1


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63


GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	16/37






F2


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Pattern G1 and H												
Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937 , P 1786 FD 110, FA 22, ZB 63												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	17/37



G1


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937 , P 1786 FD 110, FA 22, ZB 63													
	Date 26.02.2020	Change No. G35888	Sig Sch	Ver. De	Replacement for --	Revision: 1	Iteration: 2	Level: Released	Scale 1:1	Drawing No. 0-48537-FJ-0-EN	Size A3	Sheet 18/37	



G2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER													
Description:													
Profile sections Lift&Slide elements, timber													
GU-934 / GU-937 , P 1786													
FD 110, FA 22, ZB 63													
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	19/37	




H1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	20/37



only for pattern G2  
Separation recommended to prevent warping.


I1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	21/37



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

HS ePOWER

GU

Date

26.02.2020

Change No.

G35888

Sig

Sch

Ver.

De

Replacement for

--

Revision:

1

Iteration:

2

Level:

Released

Scale

1:1

Drawing No.

0-48537-FJ-0-EN

Size

A3

Sheet

22/37

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63


I2



J1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:										Profile sections Lift&Slide elements, timber			
GU										GU-934 / GU-937 , P 1786			
Date										FD 110, FA 22, ZB 63			
26.02.2020													
Change No.										G35888			
Sig										Sch			
Ver.										De			
Replacement for										--			
Revision:										1			
Iteration:										2			
Level:										Released			
Scale										1:1			
Drawing No.										0-48537-FJ-0-EN			
Size										A3			
Sheet										23/37			




# J2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

<div> <div>Pattern G2</div> <div> <div>02</div> </div> </div>												
<div> <div>Description:</div> <div> <div>Profile sections Lift&amp;Slide elements, timber</div> <div>GU-934 / GU-937 , P 1786</div> <div>FD 110, FA 22, ZB 63</div> </div> </div>												
<div> <div>GU</div> </div>	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	<b>0-48537-FJ-0-EN</b>	A3	24/37





J4


L&S night vent module

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	25/37




K1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	26/37



Chamfers not dimensioned 1 x 45°


L1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	27/37




Chamfers not dimensioned 1 x 45°

M1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


Description:													
Profile sections Lift&Slide elements, timber													
GU-934 / GU-937 , P 1786													
FD 110, FA 22, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	28/37	




FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern C and F  
Roller track 5 mm

Description:  
Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	<b>0-48537-FJ-0-EN</b>	A3	29/37

N1





FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern C and F  
Roller track 10 mm


Description:									
Profile sections Lift&Slide elements, timber									
GU-934 / GU-937 , P 1786									
FD 110, FA 22, ZB 63									
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1
Drawing No.									Size
0-48537-FJ-0-EN									A3
Sheet									30/37

N1




FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Pattern C and F  
Roller track 15 mm

Description:									
Profile sections Lift&Slide elements, timber									
GU-934 / GU-937 , P 1786									
FD 110, FA 22, ZB 63									
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1
Drawing No.									Size
0-48537-FJ-0-EN									A3
Sheet									31/37

N1





Chamfers not dimensioned 1 x 45°

O1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description: Profile sections Lift&Slide elements, timber GU-934 / GU-937 , P 1786 FD 110, FA 22, ZB 63													
GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet	
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	32/37	





Chamfers not dimensioned 1 x 45°


FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:

Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	33/37

P2



R1


R2

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

Description:


Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63



GU	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	0-48537-FJ-0-EN	A3	34/37



# S1

FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

<div> <div>Pattern D</div> <div> <div>Description:</div> <div> Profile sections Lift&amp;Slide elements, timber  GU-934 / GU-937 , P 1786  FD 110, FA 22, ZB 63 </div> </div> </div>												
	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	<b>0-48537-FJ-0-EN</b>	A3	35/37



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width


HS ePOWER

Description:


Profile sections Lift&Slide elements, timber

GU-934 / GU-937 , P 1786

FD 110, FA 22, ZB 63

	Date	Change No.	Sig	Ver.	Replacement for	Revision:	Iteration:	Level:	Scale	Drawing No.	Size	Sheet
	26.02.2020	G35888	Sch	De	--	1	2	Released	1:1	<b>0-48537-FJ-0-EN</b>	A3	36/37

T1



FD	Door leaf thickness
FA	Sash distance
ZB	Frame profile width

L&S night vent module

Description:  
Profile sections Lift&Slide elements, timber  
GU-934 / GU-937 , P 1786  
FD 110, FA 22, ZB 63

	Date 26.02.2020	Change No. G35888	Sig Sch	Ver. De	Replacement for --	Revision: 1	Iteration: 2	Level: Released	Scale 1:1	Drawing No. 0-48537-FJ-0-EN	Size A3	Sheet 37/37
--	--------------------	----------------------	------------	------------	-----------------------	----------------	-----------------	--------------------	--------------	--------------------------------	------------	----------------

U1